




APPROVED  
BY  
DATE




APPROVED BY  
DRAFTSMAN




**FIG.2**




**FIG.3**




**FIG.4**




**FIG.5**




**FIG. 6**




**FIG. 7**




**FIG. 8A**




**FIG. 8B**




**FIG. 8C**




**FIG. 8E**




**FIG. 8D**




**FIG. 8F**




**FIG.9**



**FIG.10**



**FIG.11**



**FIG.12**




FIG.13A




FIG.13B







FIG.13C





**FIG.14**



**FIG.15**

APPROVED	C. G. F. C.
BY	CLASSIFICATION
DRAFTSMAN	

11/13  
POU920000042US1




FIG.16A




FIG.16B





FIG.16C

APPROVED	O.B. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

1700

KEY OF ENTRY:

- 1 BYTE SQM NUMERIC ID
- 7 BYTES (HIGH ORDER) OF STCK
- 1 BYTE STRUCTURE ID. ALL TRQSeS  
MAP TO THIS STRUCTURE
- 3 BYTES BYTES BINARY ZERO
- 4 BYTE SEQUENCE COMPONENT



4K IN SIZE

FIG.17




FIG.18




FIG.19